

LABOUNTY HYDRAULIC ATTACHMENTS PRODUCT CATALOG

SEE OUR NEW PRODUCTS INSIDE



LaBounty[®]

www.stanleyinfrastructure.com

LABOUNTY HYDRAULIC ATTACHMENTS

COMPANY OVERVIEW



The Test of Time...leading the industry with over 40 years experience, the LaBounty name continues to stand for the utmost in quality, durability and lasting performance. Durable LaBounty attachments continue to work construction, demolition and scrap recycling job sites throughout the world, providing the much-coveted and perpetually sought industry standard.

With over 100,000 square feet of manufacturing space, using the latest technologies in machine tools, welding equipment, custom testing equipment, computer software, and the best employees the industry has to offer, you can see our dedication to quality yourself. We invite all current and prospective customers to visit our facility in Two Harbors, MN. Tours can be arranged throughout the year during normal business hours (M-F: 8am-5pm CST).

CATALOG INDEX

MSD Mobile Shears - Saber Series 1-2

Special Application Shears 3

Offshore Shears and Grapples (OSS/OSG) 4

Bucket Linkage Shears (BLS) 5

Mobile Demolition Processor (MDP) 6

Concrete Pulverizer (MHP/CP) 7

NEW Universal Processors (UPX) 9-10

Universal Processors (UP) 11

Contractors Grapples (HDR) 12-13

Waste Grapples (TW) 14

Rotating Grapples (RDG/RGS) 15

NEW Mobile Demolition Grapple (MDG) 16

NEW Labounty Mounted Breaker (LMB) 17

Accessories 18-19

Reconditioning / Custom Attachments 20

MSD MOBILE SHEARS

MSD MOBILE SHEARS

SABER SERIES

CLASS LEADING POWER-TO-WEIGHT

LaBounty Mobile Shears are engineered to maximize performance, longevity and safety with significantly reduced maintenance time. LaBounty has mobile shears for scrap metal processing, road/bridge reconstruction, building demolition, and wood demolition and recycling.

Dual Guide Pucks

- Prevents upper jaw deflection and therefore increases durability and life expectancy of the shear

Heavy Duty Tubes

- Reduces stick deflection and "buckling" of the shear stick.

Proven Reversed MSD Cylinder Technology

- Protects the cylinder rod from being damaged. This enables the reduced stick height design which increases visibility and reduces weight.

Speed Valve (Regenerative Valve)

- Spool type structure.
- Fast acting.
- Reduces cycle times for 30%.

Patented Spin on Piston

- Most durable structure design in the industry.
- Strength to resist pressure processity spikes.

Heavy Duty Pivot Components and Wraps

- The heavy duty components contribute to the durability and long life expectancy of the LaBounty Shears.

Patented Reversible Saber Tip

- Allows for the piercing tip to be rotated so two different blade edges can be used. This reduces the frequency of purchasing a new tip blade and cost of ownership

Heavy Duty Rotation Group

- Matched to excavator breakout forces to optimize performance.
- Special application package allows for placing the smaller shear on a heavier duty carrier without damage to the critical rotation components.
- 360 degree powered continuous rotation.

Patented, Reversible Saber Tip = less maintenance, more uptime, less operating cost.

Patented Wraparound Blades

- The blades receive the large majority of the wear which reduces wear of the parent material and therefore much less welding and maintenance time is needed.

4 Bolt Tip for shear sizes 2500 and up.

* These products protected by US Patent #'s 5,992,023; 7,240,869; 7,322,273, 7,487,930, 7,578,461, 7,832,130, 8,146,256 and 8,327,547. Other equivalent Foreign patents pending or in-force.

MSD MOBILE SHEARS




Peak Performance at any size LaBounty attachments are fitted to both the base machine requirements and your specific application needs. We fit attachments on the widest range of carriers from mini-excavators weighing 7,500 lbs., to mammoth excavators in excess of 400,000 lbs. We work closely with excavator manufacturers to guarantee ease of mounting and operation. This comprehensive attention to application ensures maximum performance for every LaBounty attachment in every situation.

MSD SABER AND SABER LUBE SPECIFICATIONS

MODEL	EXCAVATOR WEIGHT 2ND MEMBER		EXCAVATOR WEIGHT 3RD MEMBER		MSD WEIGHT		JAW OPENING		JAW DEPTH		REACH	
	LBS.	M TONS	LBS.	M TONS	LBS.	KG.	IN.	MM	IN.	MM	FT.	M
MSD 1000	20,000	9	35,000	16	4,200	1,900	19	480	20	510	5'11"	1.8
MSD 1000R	23,000	10	40,000	18	4,400	2,000	19	480	20	510	8'6"	2.5
MSD 1500	27,000	12	55,000	25	6,600	3,000	22	560	25	640	6'9"	2.1
MSD 1500R	40,000	18	66,000	30	7,000	3,200	22	560	25	640	9'3"	2.8
MSD 2000	42,000	19	70,000	32	8,850	4,000	28	710	29	740	8'3"	2.5
MSD 2000R	50,000	23	90,000	41	10,200	4,600	28	710	29	740	11'0"	3.4
MSD 2250	44,000	20	88,000	40	10,500	4,800	30	762	30	760	8'	2.4
MSD 2250R	50,000	25	110,000	50	12,500	5,670	30	762	30	760	11'9"	3.6
MSD 2500	50,000	23	90,000	41	12,000	5,400	32	810	34	860	8'9"	2.7
MSD 2500R	70,000	32	110,000	50	14,600	6,600	32	810	34	860	12'6"	3.8
MSD 3000	70,000	32	144,000	65	13,300	6,000	35	890	38	970	9'10"	3.0
MSD 3000R	95,000	43	160,000	73	17,000	7,700	35	890	38	970	14'1"	4.3
MSD 4000	80,000	36	150,000	68	16,600	7,500	40	1,000	44	1,100	12'0"	3.4
MSD 4000R	100,000	45	170,000	77	19,000	8,600	40	1,000	44	1,100	14'11"	4.5
MSD 4500	90,000	41	160,000	73	17,900	8,100	38.5	980	43	1,090	10'8"	3.3
MSD 4500R	110,000	50	185,000	84	21,000	9,600	38.5	980	43	1,090	14'2"	4.3
MSD 7500	135,000	61	CONSULT FACTORY		25,500	11,600	43	1,090	45	1,140	11'10"	3.6
MSD 7500R	160,000	73	275,000	125	30,000	13,600	43	1,090	45	1,140	15'7"	4.7
MSD 9500	175,000	80	CONSULT FACTORY		37,300	16,900	48	1,220	52	1,320	15'4"	4.6
MSD 9500R	275,000	125	CONSULT FACTORY		45,500	20,700	48	1,220	52	1,320	18'4"	5.6

"We've got four LaBounty attachments that we depend on every day. They do the work. We make our living. It's that simple..." **CHECK** Standard Industries – Ventura County, CA

Complete Blade and Saber Tip™ Kits are available for all MSD Saber Series Models. Call LaBounty at 800-522-5059 or your Dealer for more information.



SPECIAL APPLICATION SHEARS

MOBILE SHEARS

MODEL MSD 7R



MSD 7R

COMPACT BUT FEROCIOUS

The MSD 7R Mobile Shear is compact, yet powerful. Specifically designed for mini excavators and skid steer loaders. This shear is excellent for applications where using larger equipment is not possible or practical such as interior demolition work or use in small ferrous and non-ferrous scrap yards. It can cut a variety of materials including H and I beams, angle, channel, wire, plate, pipe, rebar, tires, concrete and more.

The MSD 7R can be ordered with a stand alone excavator bracket or skid steer bracket. As an option, the shear can be ordered with the excavator bracket and then an additional adapter bracket to allow it to mount to both types of machines.

- The MSD 7R features easily replaceable wear parts including four-way indexable blades
- Features 360° continuous rotation using a severe-duty bearing.
- Optional selector valve rotation kit available.

	Excavator Weight 2nd Member	Excavator Weight 3rd Member	MSD Weight	Shear Opening
MSD 7R	7,500 LBS / 3 TONS	15,000 LBS / 7 TONS	1,100 LBS / 500 KG	10 IN / 254 MM

The MSD 800R Mobile Shear is for use in scrap processing applications as well as for interior demolition. The MSD 800R helps complete LaBounty's full span of the MSD line for a powerful dedicated shear compatible with mini excavators and backhoes.

- Proven Reversed MSD Cylinder Technology.
- Heavy Duty Rotation Group allows for placing the smaller shear on a heavier duty carrier without damage to the critical rotation components.
- 360° powered rotation.
- Patented Wraparound blades.
- 15" Opening.
- Weld-in Tip makes for easy replacement of a common wear area saving on maintenance time.
- Heavy Duty Pivot Components and Wraps contribute to the durability and long life expectancy of the LaBounty Shears.
- Special application cutting blades available such as pipe.

MOBILE SHEARS

MODEL MSD 800R



MSD 800

	Excavator Weight 2nd Member	Excavator Weight 3rd Member	MSD Weight	Shear Opening
MSD 800	15,000 LBS / 7 METRIC TONS	20,000 LBS / 10 METRIC TONS	2,250 LBS / 1,020 KG	15 IN / 380 MM
MSD 800R	18,000 LBS / 9 METRIC TONS	26,000 LBS / 12 METRIC TONS	2,750 LBS / 1,250 KG	15 IN / 380 MM

OFFSHORE SHEARS AND GRAPPLES

LaBounty's line of OSS and OSG series for the offshore oil industry are designed specifically for underwater hanging applications where positioning, handling and cutting of offshore rig platforms and piping are required. These products bring unmatched speed and safety to this unique and challenging environment.

Products for this market include the patented OCC Offshore Conductor Cutter for processing single and multi string conductor pipe, the OSS Offshore Shear line for cutting pipe and structural steel

and the OSG Offshore Grapple line for handling and carrying debris to the surface for removal.

These products are highly custom engineered to meet stringent requirements. **Please call LaBounty at 800-522-5059 for specific details and specifications.**



OSS 20 Awaiting deployment



OCC 20 Cutting conductor pipe*



OSG Grapple free hanging handling debris



OSG Grapples on spreader bar handling conductor pipe